

CATALOGUE LED TUBES T8

Content:

[D-LED-T8-600-C](#)

[D-LED-T8-600-A](#)


[D-LED-T8-900-C](#)

[D-LED-T8-1200-C](#)

[D-LED-T8-1200-A](#)

[D-LED-T8-1500-C](#)




[D-LED-T8-1500-A](#)



2017

Aluminum LED tubes

D-LED-T8-600-C



Light color : 6000-6500K

Model	910122-M1	910122-C1	910122-M2	910122-C2
- Watts - Input voltage - Flux - Beam angle - CRI - Cover - Power	9W - AC220-230V 90-100lm/W 120 degree > 80 - Matt - One side	9W - AC220-230V 90-100lm/W 120 degree > 80 - Clear - One side	9W - AC220-230V 90-100lm/W 120 degree > 80 - Matt - Double side	9W - AC220-230V 90-100lm/W 120 degree > 80 - Clear - Double side



Light color : 5000-5500K

Model	910123-M1	910123-C1	910123-M2	910123-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Light color : 4000-4500K


Model	910124-M1	910124-C1	910124-M2	910124-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Light color : 3000-3500K

Model	910121-M1	910121-C1	910121-M2	910121-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 9W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Aluminum LED tubes

D-LED-T8-600-A



Light color : 6000-6500K

Model	991748-M1	991748-C1	991748-M2	991748-C2
- Watts - Input voltage - Flux - Beam angle - CRI - Cover - Power	12W - AC220-230V 110-120lm/W 120 degree > 80 - Matt - One side	12W - AC220-230V 110-120lm/W 120 degree > 80 - Clear - One side	24W - AC220-230V 110-120lm/W 120 degree > 80 - Matt - Double side	12W - AC220-230V 110-120lm/W 120 degree > 80 - Clear - Double side



Light color : 5000-5500K

Model	991831-M1	991831-C1	991831-M2	991831-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side

Light color : 4000-4500K



Model	991830-M1	991830-C1	991830-M2	991830-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side

Light color : 6000-6500K

Model	991749-M1	991749-C1	991749-M2	991749-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 12W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side

Aluminum LED tubes

D-LED-T8-900-C



Light color : 6000-6500K

Model	991918-M1	991918-C1	991918-M2	991918-C2
- Watts - Input voltage - Flux - Beam angle - CRI - Cover - Power	18W - AC220-230V 90-100lm/W 120 degree > 80 - Matt - One side	18W - AC220-230V 90-100lm/W 120 degree > 80 - Clear - One side	18W - AC220-230V 90-100lm/W 120 degree > 80 - Matt - Double side	18W - AC220-230V 90-100lm/W 120 degree > 80 - Clear - Double side



Light color : 5000-5500K

Model	991919-M1	991919-C1	991919-M2	991919-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Light color : 4000-4500K




Model	991920-M1	991920-C1	991920-M2	991920-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Light color : 3000-3500K

Model	991921-M1	991921-C1	991921-M2	991921-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Aluminum LED tubes

D-LED-T8-1200-C



Light color : 6000-6500K

Model	910402-M1	910402-C1	910402-M2	910402-C2
- Watts - Input voltage - Flux - Beam angle - CRI - Cover - Power	18W - AC220-230V 90-100lm/W 120 degree > 80 - Matt - One side	18W - AC220-230V 90-100lm/W 120 degree > 80 - Clear - One side	18W - AC220-230V 90-100lm/W 120 degree > 80 - Matt - Double side	18W - AC220-230V 90-100lm/W 120 degree > 80 - Clear - Double side



Light color : 5000-5500K

Model	910403-M1	910403-C1	910403-M2	910403-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Light color : 4000-4500K



Model	910404-M1	910404-C1	910404-M2	910404-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Light color : 3000-3500K

Model	910401-M1	910401-C1	910401-M2	910401-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 18W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Aluminum LED tubes

D-LED-T8-1200-A



Light color : 6000-6500K

Model	991746-M1	991746-C1	991746-M1	991746-C2
- Watts - Input voltage - Flux - Beam angle - CRI - Cover - Power	22W - AC220-230V 110-120lm/W 120 degree > 80 - Matt - One side	22W - AC220-230V 110-120lm/W 120 degree > 80 - Clear - One side	22W - AC220-230V 110-120lm/W 120 degree > 80 - Matt - Double side	22W - AC220-230V 110-120lm/W 120 degree > 80 - Clear - Double side



Light color : 5000-5500K

Model	991832-M1	991832-C1	991832-M2	991832-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side

Light color : 4000-4500K



Model	991756-M1	991756-C1	991756-M2	991756-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side

Light color : 3000-3500K

Model	991747-M1	991747-C1	991747-M2	991747-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 22W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side

Aluminum LED tubes

D-LED-T8-1500-C



Light color : 6000-6500K

Model	910502-M1	910502-C1	910502-M2	910502-C2
- Watts - Input voltage - Flux - Beam angle - CRI - Cover - Power	24W - AC220-230V 90-100lm/W 120 degree > 80 - Matt - One side	24W - AC220-230V 90-100lm/W 120 degree > 80 - Clear - One side	24W - AC220-230V 90-100lm/W 120 degree > 80 - Matt - Double side	24W - AC220-230V 90-100lm/W 120 degree > 80 - Clear - Double side



Light color : 5000-5500K

Model	910503-M1	910503-C1	910503-M2	910503-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Light color : 4000-5500K



Model	991835-M1	991835-C1	991835-M2	991835-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Light color : 3000-3500K

Model	991833-M1	991833-C1	991833-M2	991833-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • One side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • One side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Matt • Double side	• 24W • AC220-230V • 90-100lm/W • 120 degree • > 80 • Clear • Double side

Aluminum LED tubes

D-LED-T8-1500-A



Light color : 6000-6500K

Model	991750-M1	991750-C1	991750-M2	991750-C2
- Watts - Input voltage - Flux - Beam angle - CRI - Cover - Power	30W - AC220-230V 110-120lm/W 120 degree > 80 - Matt - One side	30W - AC220-230V 110-120lm/W 120 degree > 80 - Clear - One side	30W - AC220-230V 110-120lm/W 120 degree > 80 - Matt - Double side	30W - AC220-230V 110-120lm/W 120 degree > 80 - Clear - Double side



Light color : 5000-5500K

Model	991834-M1	991834-C1	991834-M2	991834-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side

Light color : 4000-4500K

Model	991836-M1	991836-C1	991836-M2	991836-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side

Light color : 3000-3500K

Model	991751-M1	991751-C1	991751-M2	991751-C2
• Watts • Input voltage • Flux • Beam angle • CRI • Cover • Power	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • One side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • One side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Matt • Double side	• 30W • AC220-230V • 110-120lm/W • 120 degree • > 80 • Clear • Double side